



## PERFORMANCE CURVE

### MAGNET DRIVE CENTRIFUGAL PUMP

Item No.: \_\_\_\_\_

Job No.: \_\_\_\_\_

: \_\_\_\_\_

- **Pump Model** MP420-090-6\*015\*K20\*-2  
 Magnet Coupling Type:         K20N          
 Eddy Current Loss:     0.19     kW

- **Pump Specification**  
 Total Head:     7     m  
 Capacity:     11.1     m<sup>3</sup>/hr        185     L/min  
 Speed:     2940     min<sup>-1</sup>  
 Min.Flow:     0.9     m<sup>3</sup>/hr        15     L/min  
 NPSH av/req:     / -     m

- **Liquid**  
 Name:     -      
 Specific Gravity:     1      
 Viscosity:     1     mPa·s

- **Motor**  
 Power:     1.5     kW

Remark: Recommended Selection Range; 15~185L/min  
 For low Specific Gravity liquid such as Hydrocarbon,  
 please consult with the manufacturer.

Work No. | **Standard** | Dwg No. | **MP420-090-K20-52-0**

APP'D <i>A. Murakami</i>	CH'D M. Murakami	DWN. M. Murakami
-----------------------------	---------------------	---------------------



SANWA HYDROTECH CORP.

承
品
計